Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: THINNER (GENERIC)
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Thinner, Diluent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WHEELPAINTS

UNITS 1-5

MILLBROOK CLOSE

NORTHAMPTON

NN55JF.:

+44(0)1604 759990

Fax.: +44(0)757411

e-mail: sales@wheelpaints.co.uk-

*

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed. Xi;



Irritant

R37: Irritating to respiratory system. N;



Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10-66-67: Flammable. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Has a narcotizing effect.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xn Harmful

N Dangerous for the environment

· Hazard-determining components of labelling:

Solvent naphtha (petroleum), light arom.

· Risk phrases:

10 Flammable.

37 Irritating to respiratory system.

(Contd. on page 2)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

(Contd. of page 1)

- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Harmful: may cause lung damage if swallowed.
- Repeated exposure may cause skin dryness or cracking. 66
- 67 Vapours may cause drowsiness and dizziness.
- · Safety phrases:
- 2 Keep out of the reach of children.
- 13 Keep away from food, drink and animal feeding stuffs.
- 23 Do not breathe vapour/spray.
- 25 Avoid contact with eyes.
- 36 Wear suitable protective clothing.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

4 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 123-86-4 EINECS: 204-658-1	n-butyl acetate R10-66-67	50-100%
	♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336	
CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom. Xn R65; Xi R37; N R51/53 R10-66-67 → Flam. Liq. 3, H226; → Asp. Tox. 1, H304; → Aquatic Chronic 2, H411; → STOT SE 3, H335+H336	25-50%
CAS: 108-65-6 EINECS: 203-603-9	2-methoxy-1-methylethyl acetate R10 Flam. Liq. 3, H226	2.5-10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the		
workplace: 123-86-4 n-butyl acetate		
WEL() Short-term value: 966 mg/m³, 200 ppm		
Long-term value: 724 mg/m³, 150 ppm		
108-65-6 2-methoxy-1-methylethyl acetate		
WEL() Short-term value: 548 mg/m³, 100 ppm		
Long-term value: 274 mg/m³, 50 ppm		

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Colour: · Odour: According to product specification

Characteristic

· Odour threshold: Not determined. Not determined. · pH-value:

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range:

· Flash point: 30°C (DIN 53213)

· Flammability (solid, gaseous): Not applicable.

315°C (DIN 51794) · Ignition temperature:

Not determined. · Decomposition temperature:

· Self-igniting: Product is not selfigniting.

(Contd. on page 5)

Version number 108 Revision: 31.05.2012 Printing date 31.05.2012

Trade name: Thinner

	(Contd. of page
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	7.5 Vol %
· Vapour pressure at 20°C:	10.7 hPa
· De nsity at 20°C:	0.883 g/cm³ (DIN 53217)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Segregation coefficient (n-octanol/w	vater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 20°C:	11 s (DIN 53211/4)
Solvent content:	
Organic solvents:	100.0 %
VOC (EC)	883.0 g/l
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification: 64742-		
95-6 Solve	95-6 Solvent naphtha (petroleum), light arom.	
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 6)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

Irritant

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

14 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

14 06 03* other solvents and solvent mixtures

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

7 4 7	.	• •	
1/2	Transport	าทุปกษา	mation

· UN-Number · ADR, IMDG, IATA	UN1263
· UN proper shipping name	
ADR	1263 PAINT RELATED MATERIAL, ENVIRONMENTALLY HAZARDOUS, special provision 640E
·IMDG	PAINT RELATED MATERIAL (Hydrocarbons, dearomatified) MARINE POLLUTANT
·IATA	PAINT RELATED MATERIAL

(Contd. on page 7)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

(Contd. of page 6) · Transport hazard class(es) $\cdot ADR$ · Class 3 (F1) Flammable liquids. \cdot Label \cdot IMDG · Class 3 Flammable liquids. \cdot Label \cdot IATA · Class 3 Flammable liquids. \cdot Label · Packing group · ADR, IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: Hydrocarbons, dearomatified · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special precautions for user Warning: Flammable liquids. · Danger code (Kemler): 30 · EMS Number: F-E, \underline{S} - \underline{E} · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ D/E· Tunnel restriction code

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Information about limitation of use:

None of the ingredients is listed.

Class	Share in %
NK	50-100

(Contd. on page 8)

Printing date 31.05.2012 Version number 108 Revision: 31.05.2012

Trade name: Thinner

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

May be fatal if swallowed and enters airways. H304

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

R10 Flammable.

R37 Irritating to respiratory system.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

* * Data compared to the previous version altered.